



Tufted Loop Pile Carpet Tiles

Fibre Bonded Carpet Tiles & Sheet

Fibre Bonded Entrance Solutions

Acoustic Wall Solutions



**RAWSON**  
CARPET SOLUTIONS

# CONTENTS

- 04** Tufted Loop Pile Carpet Tile Collection
- 14** Fibre Bonded Carpet Tiles and Sheet Collection
- 34** Backing Solutions
- 36** Fibre Bonded Entrance Solutions Collection
- 40** Decorative & Acoustic Walling Solutions

# WELCOME

Rawson Carpets are part of W E Rawson Ltd. For 150 years, this privately-owned company has grown organically through the manufacture and cutting-edge uses of non-woven industrial textiles. Our growth remains strong because of W E Rawson's ongoing commitment to innovation, designed to meet the world's ever-changing and varied market needs.

Managed by the founder's descendants even today, this proud family-owned business has succeeded and expanded through two World Wars and numerous economic downturns. What's the secret to this global organisation's resilience and continued growth among diverse, geographic markets? It's quite simple, really. It's the tradition of innovation.

At Rawson Carpet Solutions division we pride ourselves on the heritage of our brand. The experience and reputation has enabled us to evolve with the interiors market, and with our latest products we are proud to offer a broader and more exciting range that is at the forefront of design and performance.

For more information on our versatile range of carpet solutions and to explore our online virtual design studio please visit our website:

[www.rawsoncarpetsolutions.co.uk](http://www.rawsoncarpetsolutions.co.uk)



# Tufted Loop Pile Carpet Tiles


For a statement floor covering, a floor covering with design at heart, Rawson proudly introduce new comfortable and quiet Nylon Loop tile products.

Durable, cleanable and very aesthetically pleasing, the tufted range will contribute to a great space.

Meeting the often stringent demands of a school, shop or busy office, the range provides choice, quality and great design.

# FANFARE

The deepest and most luxurious of our tufted products. Fanfare gives exceptional comfort underfoot and great aesthetics which is clearly visible from our latest project images. A favourite amongst our clients and designers.



TECHNICAL SPECIFICATION	
Fibre Type	100% Solution Dyed Polyamide
Fibre Weight (±10%)	750g/m <sup>2</sup>
Total Tile Weight (±10%)	4540g/m <sup>2</sup>
Total Thickness (mm) (±10%)	7.0
Dimensions	50x50cm
Backing Material	Bitumen with Glass Crenette for stability
Tiles per Box	20

**INDUSTRY SUITABILITY**  
Offices, corridors, schools.

**PERFORMANCE / DURABILITY**  
Extra heavy loop, heavy contract. Light reflectance values available online



# JAZZ

A Heavy Contract loop pile carpet tile available in 15 distinct colourways including our new deep black luxurious addition. A popular solution for the education and office environment and a range that satisfies most theme aspirations.

## TECHNICAL SPECIFICATION

Fibre Type	100% Nylon Solution Dyed
Fibre Weight ( $\pm 10\%$ )	500g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4300g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.0
Dimensions	50x50cm
Tiles per Box	20

## INDUSTRY SUITABILITY

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.

## PERFORMANCE / DURABILITY

Heavy Commercial / contract.  
Suitable for caster chair use.

Light reflectance values available online



# JAZZ LINES

Jazz Lines is a nylon loop, gradient lined design addition to the standard Jazz range. The design provides the range with many design possibilities. A perfect solution for transitioning a colour through the floor covering, or go wild with random graded tiles to create a truly unique space.

## TECHNICAL SPECIFICATION

Fibre Type	100% Nylon Solution Dyed
Fibre Weight (±10%)	500g/m <sup>2</sup>
Total Carpet Weight (±10%)	4300g/m <sup>2</sup>
Total Thickness (mm) (±10%)	6.0
Dimensions	50x50cm
Tiles per Box	20


## INDUSTRY SUITABILITY

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.


## PERFORMANCE / DURABILITY

Heavy commercial / contract.  
Suitable for caster chair use.


Light reflectance values available online



Jazz Lines Tile 1




Jazz Lines Tile 2



Jazz Lines Tile 3



Jazz Lines Tile 4



# COUNTRYSIDE

Taking inspiration from weather and nature, the Countryside collection is warm and comforting. The high-end tufted tile is dense and durable providing an impressive solution to all environments.

### TECHNICAL SPECIFICATION

Fibre Type	100% Polyamide
Fibre Weight ( $\pm 10\%$ )	670g/m <sup>2</sup>
Total Carpet Weight ( $\pm 10\%$ )	4160g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	6.0
Dimensions	50x50cm
Tiles per Box	20

### INDUSTRY SUITABILITY

Heavy contract suitable for all retail outlets, school, universities, public and commercial offices, corridor and stairs entrance areas.

### PERFORMANCE / DURABILITY

Heavy commercial / contract. Suitable for caster chair use.

Light reflectance values available online



# EDEN



A budget conscious loose-lay tile for heavy domestic and general use. This loop pile constructed carpet tile gives excellent wear performance and is easily cleaned. The Eden range is available across 12 practical colour ways suitable for most applications.

### TECHNICAL SPECIFICATION

Fibre Type	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	370g/m <sup>2</sup>
Total Tile Weight ( $\pm 10\%$ )	4180g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	5.9
Dimensions	50x50cm
Tiles per Box	20

### INDUSTRY SUITABILITY

Schools, offices, commercial, public and private sector buildings, residences, corporate outlets, domestic areas, care homes and other general flooring areas.

### PERFORMANCE / DURABILITY

General contract, heavy domestic use.

Light reflectance values available online

# Fibre Bonded Carpet Tiles & Sheet

Rawson's heritage, 'a world of fibres', is clearly displayed with our fibre bonded carpet offering.

As one of the original UK manufacturers of fibre bonded carpet tile and sheet, you can rely on the quality, dense needle punched ranges.


New colours in our Heritage ranges provide more appeal and now we have pleasure in introducing new products to the range which surely push the boundaries of what a fibre bonded tile aesthetic can achieve.

Our carpet tiles and sheet offer exceptional quality and durability. The clear advantages of using a fibre bonded product from Rawson include low maintenance, comfort under foot, great thermal properties and impressive acoustic reduction contributing, to a calm and productive learning or working environment.



# REED

Rawson Reed is our newest development. The careful selection of high quality denier fibres gives our products a soft and comfortable feel. This is a product range to really test the nylon devotees. Modern and persuasive design and colours combine with Rawson's renowned durability. Could this be the best of both worlds?



## TECHNICAL SPECIFICATION

Fibre Type	85% Polypropylene 15% Polyester
Fibre Weight (±10%)	900g/m <sup>2</sup>
Total Tile Weight (±10%)	4060g/m <sup>2</sup>
Total Thickness (mm) (±10%)	9.7
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per Box	20

## INDUSTRY SUITABILITY

Offices, corridors, schools.

## PERFORMANCE / DURABILITY

Heavy contract. Light reflectance values and comprehensive spec data available online.

# EUROCORD

A heavy contract carpet sheet or tile with a great heritage. This durable fine ribbed product has become the benchmark for the contract carpet market in education and public buildings. A new wide range of colours offer ideal styling options for the creative. A practical and hard wearing floor solution that delivers to your promise.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	930g/m <sup>2</sup>	930g/m <sup>2</sup>
Total Weight (±10%)	1150g/m <sup>2</sup>	4150g/m <sup>2</sup>
Total Thickness (mm) (±10%)	5.8	6.7
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		20


## INDUSTRY SUITABILITY

All private and public sector buildings. showrooms, corridors, halls, banks, offices and places of worship.

## PERFORMANCE / DURABILITY

Easy contract use, easy to maintain, Rawson best seller for the education and retail sector.

Light reflectance values available online



# FREEWAY

A durable broad ribbed heavy contract carpet sheet and tile. The new range of colours is specifically designed to satisfy the most discerning of clients and tastes. This versatile carpet is suitable for installation in the following areas: schools, libraries, universities, reception and public spaces, hospitals, sport, exhibition, caravans and boats.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	930g/m <sup>2</sup>	930g/m <sup>2</sup>
Total Weight (±10%)	1100g/m <sup>2</sup>	4100g/m <sup>2</sup>
Total Thickness (mm) (±10%)	6.0	7.0
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		20


### INDUSTRY SUITABILITY

Classroom, corridors, stairs, offices, retail shops, banks, places of worship, pubs, exhibitions, caravans, mobile homes, public / private sector buildings.


### PERFORMANCE / DURABILITY

Heavy contract, suitable for use with caster chairs.

Light reflectance values available online



# PRIMARY COLOURS



Available in sheet or tile to help create that exciting vibrant area. Primary Colours is a soft feeling, hard wearing carpet made in a fine denier fibre just right for children to sit and play.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1000g/m <sup>2</sup>	1000g/m <sup>2</sup>
Total Weight (±10%)	1300g/m <sup>2</sup>	4250g/m <sup>2</sup>
Total Thickness (mm) (±10%)	8.0	9.0
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		16

### INDUSTRY SUITABILITY

Nursery and junior schools and crèches, play group areas, children's bedrooms etc. Heavy commercial use.

Light reflectance values available online

# DENBY



One of the original coverings from Rawson, Denby is still a firm economical functional favourite.

TECHNICAL SPECIFICATION	
Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	720g/m <sup>2</sup>
Total Weight (±10%)	860g/m <sup>2</sup>
Total Thickness (mm) (±10%)	5.0
Dimensions	2x30m

### INDUSTRY SUITABILITY

Public and private sector buildings, halls, schools, retail, commercial institutions and libraries etc.

Light reflectance values available online



# FELKIRK

This 100% polypropylene luxury velour carpet sheet and tile is engineered to meet the stringent demands of a dynamic school or office environment. Lasting elegance and superb stain resistance, Felkirk is again a heritage range and has earned its reputation as a hard wearing answer to busy floors.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight ( $\pm 10\%$ )	1000g/m <sup>2</sup>	1000g/m <sup>2</sup>
Total Weight ( $\pm 10\%$ )	1300g/m <sup>2</sup>	4300g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	9.0	9.0
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles per Box		16

## INDUSTRY SUITABILITY


Schools, universities, residencies, offices, retail outlets, commercial institutions and general public and private sector buildings.

## PERFORMANCE / DURABILITY

Heavy contract. Suitable for use with caster chairs. Light reflectance values available online



Bring the outside inside with our new colour turf. Popular for the golf enthusiast, sports shop, or simply to create that most natural aesthetic and feel in the office, school or crèche environment.





# LASERLIGHT AND NEON

A dense, quality dark carpet tile with modern bright highlight colours. Very hard wearing and easy to maintain. Ideal for busy environments. The design can be accented with borders or features by using the accompanying 'neon' range. A matching tile in bright colours that match the highlights in laserlight. This product range lends itself to many design options.

## LASERLIGHT



Lime Aqua Purple Red Orange

## NEON



Lime Aqua Purple Red Orange

### LASERLIGHT TECHNICAL SPECIFICATION

Fibre Type	75% Polypropylene 25% Polyester
Fibre Weight (±10%)	1000g/m <sup>2</sup>
Total Tile Weight (±10%)	4160g/m <sup>2</sup>
Total Thickness (mm) (±10%)	9.7
Dimensions	50x50m
Tiles per Box	20

### INDUSTRY SUITABILITY

Ideal for Schools, Colleges, Offices and other busy public areas.

### PERFORMANCE / DURABILITY

Ideal for caster chair use, heavy contract/commercial use.

Light reflectance values available online

### NEON TECHNICAL SPECIFICATION

Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	950g/m <sup>2</sup>
Total Tile Weight (±10%)	4110g/m <sup>2</sup>
Total Thickness (mm) (±10%)	9.7
Dimensions	50x50cm
Tiles per Box	20

### INDUSTRY SUITABILITY

Ideal for Schools, Colleges, Offices and other busy public areas.

### PERFORMANCE / DURABILITY

Ideal for caster chair use, heavy contract/commercial use.

Light reflectance values available online

# CHAMPION

Heavy contract sheet and tile material in an interesting and heritage cobble design. Ideally suited for the discerning client looking for style and practicality. This popular product remains the choice of many looking for a high wearing, easy to fit and economical answer to flooring needs.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	900g/m <sup>2</sup>	900g/m <sup>2</sup>
Total Weight (±10%)	1100g/m <sup>2</sup>	4100g/m <sup>2</sup>
Total Thickness (mm) (±10%)	6.6	8.5
Dimensions	2x30m	50x50cm
Backing Material		Bitumen
Tiles Per Box		20

## INDUSTRY SUITABILITY

Public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres. Heavy contract use.

Light reflectance values available online



# TITAN

A new, very heavy set sheet or tile solution for extremely heavy use areas. The careful selection of fibres and configuration gives a floor covering which will stand the test of time and is quite often used as a secondary barrier entry floor system too.



TECHNICAL SPECIFICATION	TILE
Fibre Type	75% Polypropylene 25% Polyester
Fibre Weight (+10%)	1478g/m <sup>2</sup>
Total Tile Weight (+10%)	4978g/m <sup>2</sup>
Total Thickness (mm) (+10%)	11
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per Box	20

## INDUSTRY SUITABILITY

Public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres. Heavy contract use.

## PERFORMANCE / DURABILITY

Extremely heavy contract, suitable for use with caster chairs.

Light reflectance values available online

# PATIO

An indoor/outdoor carpet solution that is velour styled across 10 outdoor inspired colours. Patio is UV stabilised and is a great solution for Sports surfaces, Cricket surfaces, pool surrounds, boats, roof gardens, golf courses and children's play areas. A product offering many versatile solutions.


## TECHNICAL SPECIFICATION

Fibre Type	100% Polypropylene U.V. Stabilised
Fibre Weight (±10%)	1000g/m <sup>2</sup>
Total Weight (±10%)	1200g/m <sup>2</sup>
Total Thickness (mm) (±10%)	9.5
Dimensions	2x30m

## INDUSTRY SUITABILITY

Poolside areas, patios, roof gardens, children's play areas, putting greens, walkways, exhibitions etc. Can also be installed inside.

Light reflectance values available online



# SPIKEMASTER

A specifically engineered flooring solution for areas where spike and sports shoes are worn. Whether a golf or cricket club, this antistatic product will provide the required support and resistance. Offered in a range of suited colours, Spikemaster not only provides a flooring solution but complements the aesthetic of the environment. Spikemaster is also regularly specified as a secondary entrance barrier flooring.

## TECHNICAL SPECIFICATION

Fibre Type	85% Polypropylene 15% Polyester
Fibre Weight ( $\pm 10\%$ )	1500g/m <sup>2</sup>
Total Tile Weight ( $\pm 10\%$ )	4700g/m <sup>2</sup>
Total Thickness (mm) ( $\pm 10\%$ )	11.0
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per box	12


## INDUSTRY SUITABILITY

All types of public and private sector sports buildings including golf clubs, driving ranges, cricket, hockey and rugby pavilions, changing rooms and sports shops.

## PERFORMANCE / DURABILITY

It is great for golf/cricket spikes.  
Also excellent for an entrance mat.

Light reflectance values available online



Lovat



Charcoal



Mid Grey



Cotswold



Wild Berry



Saratoga



Fjord Blue



Bronze




Red



Cobalt



Sandstone



# BACKING SOLUTIONS




## QUIET BACK

Our 6mm polyester backed comfortable backing solution creates a quiet and cushioned floor covering. Achieving sound reductions of up to 28dB, the solution contributes to a calm working and learning environment. Available for our sheet and tile offerings, supplied pre-bonded to your chosen product. Please contact one of our staff if you require more information.



## IMPERVIOUS BACK

An antibacterial and impervious polypropylene carpet backing. This backing is an option on Patio, Eurocord and Felkirk. This provides a completely impervious seal to protect the sub-floor below. The solution is very effective in ensuring that any moisture can not transfer to the sub-floor, whether wood or concrete, preventing lingering moisture which can create smells and mould. With product and backing made solely out of polypropylene, here we have a 100% recyclable flooring solution.



## STICKFAST

Our new polyester backing has been specially designed to bond perfectly to the hook profile of a hook and loop bonding strip, allowing for an immediate, weather proof and very quick uplift bonding solution. This application is very popular in environments where floors will be lifted more than once a year. For example: regular uplift and replacement of heavily soiled areas (ie entrance wells); short term use carpet for events (exhibition floors); carpet protection or change of use areas; and raised access flooring projects where access is constantly required.

# BESPOKE CARPETS

Rawson Carpet Solutions stand by their name, offering bespoke solutions in tile or sheet and custom lengths and tile sizes. Planks are always an option. This service has resulted in us being associated with many applications, from our excellent carpet interior solutions to outdoor and marine use. From Crazy golf courses to outdoor sports pitches, logo barrier mats, exhibition flooring as well as acoustic insulation for buildings and cars. If you have a specific idea, Rawson Carpet Solutions will follow our renowned service to accommodate you.

We can provide exact colour matching. Special IT programmes allow us to scientifically scan the colour, texture and weight of almost anything and synthesise our fibre ranges to best marry all components into a matching blend. Just a small sample of the product you wish to match will allow us to perform this service.



We are able to provide intricate inlays so you can enhance your entrance foyer or public space with a customised inlay design, such as your company logo, or motto. Just provide an IT visual and we can do the rest for you.

# ENVIRONMENTAL POLICY

We at Rawson firmly believe in the responsibility that we have to the environment as well as to future generations as we conduct our day to day operations. We recognise the impact we have upon the environment and we embrace our duty of care with regard to the objectives and practices of our business. We adhere to the highest standards expected as a responsible corporate member of society and always aim to reduce and minimise any adverse effect we may pose. We are BSI 9001-2008 compliant and working towards the new standard 9001-2015. All manufacturing is in the UK and Rawson is constantly looking into the ecology of locally sourced materials and best

sustainable practice. Wherever possible excess manufacturing waste is recycled. After so many years we understand the areas where a sustainable approach can be most effective and can greatly contribute to our overall environmental impact. Our products are long lasting and reduce waste and pollution, and some are fully recyclable. Indeed research continues today and forward for more and more products to be single product sourced so that they can all be fully recyclable as an option. Adhesion methods are constantly being reviewed to see if we can reduce epoxy based products and provide less harmful application solutions, such as Stickfast.

Our commitment to Environment and community welfare ensures that our environmental policies are at the very heart of our company's business objectives. Rawson offers products with the BRE Individual Environmental Accreditation where an A+, the highest accolade has been achieved. We currently research and test for 100% recycling of all our products and are testing for VOC accreditation as we go forward in showing the quality and low impact of Rawson Carpet Solutions.



# **Fibre Bonded** Entrance Flooring Solutions

Every commercial building requires an entrance floor system to provide a cleaning and drying service to foot traffic before walking on the chosen interior floor.

With our years of experience we have ensured the broad range of products offered will fulfil the primary and secondary barrier matting requirements for your facility.

The use of Titan or Spikemaster as a secondary barrier solution is a regular choice.

# DOMINATOR

Heavy duty primary entrance flooring solution. With multiple heights and a specific shoe cleaning purpose, this product has proved its effectiveness across a diverse range of installations. This floor will protect your buildings interior floor coverings. The diagonal patterning allows for cleaning of shoes whatever the direction.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1500g/m <sup>2</sup>	1500g/m <sup>2</sup>
Total Weight (±10%)	2650g/m <sup>2</sup>	4600g/m <sup>2</sup>
Total Thickness (mm) (±10%)	10.5	11.5
Dimensions	2x12.5m	50x50cm
Backing Material	Rubber	Bitumen
Tiles per Box		12

### INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms. Light reflectance values available online




# HERCULES 2K

A primary entrance flooring solution with a dense fibre weight and multiple heights to collect dirt from foot traffic. The black background provides a good aesthetic to complement the first impression of your building.

TECHNICAL SPECIFICATION	
Fibre Type	100% Polypropylene
Fibre Weight (±10%)	1400g/m <sup>2</sup>
Total Carpet Weight (±10%)	2820g/m <sup>2</sup>
Total Thickness (mm) (±10%)	10.5
Dimensions	2x12.5m
Backing Material	Rubber


### INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms. Light reflectance values available online



# TRACKMASTER

A heavy duty primary entrance flooring solution. Effective, very hard-wearing and easy to install.



TECHNICAL SPECIFICATION	
Fibre Type	100% Polypropylene
Fibre Weight (±10%)	1250g/m <sup>2</sup>
Total Carpet Weight (±10%)	2400g/m <sup>2</sup>
Total Thickness (mm) (±10%)	11.0
Dimensions	2x12.5m
Backing Material	Rubber

### INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms. Also ideal as a barrier or corridor carpet. Light reflectance values available online

# Decorative & Acoustic Walling Solutions

Rebranded, redesigned, resized, the walling solutions on offer from Rawson will allow for decorative panelling to walls to provide accent to certain areas with a choice of beautiful lining colours, plus now the option to provide an individual digital print to the wall.

Take advantage of up to 40% reduction in reverberated sound by choosing Rawson's Acoustic Wall Solution in a variety of options.

# DECORALE

**Decorale** is a decorative wall covering which offers great sound reduction and thermal insulation properties. It is specifically designed to be easily installed on internal walls in busy and noisy school, in work or public spaces.

This is a 10mm product offering up to 40% reduction in reverberated sound. The excellent sound absorption properties are a result of the unique non-woven high density polyester construction. This product meets the British Standards flammability rating for its purpose and is easy and quick to install.

TECHNICAL SPECIFICATION	SHEET	TILE
Fibre Type	100% Polyester	100% Polyester
Total Thickness (mm) (±10%)	9-10	9-10
Dimensions	1.2m	60x60cm
Backing Material	100% Polyester	100% Polyester

**INDUSTRY SUITABILITY**  
 Classroom walls, hallways, corridors, lecture theatres, libraries, staff rooms, computer rooms, music rooms, studios, cinemas, prisons, police interview rooms, school/nursery, telephone call centres.

Decorale is also able to be interactive in the wall's usage. The construction lends itself to being used as a pin board. Decorale can be installed on walls which add to the calm environment and also produce an effective display/notice space.




# DECORALE PRINT

Now, through continuous research and development, Rawson is able to offer Decorale in an unlimited range of designs by providing digital prints of exceptional quality to the surface of decorale.

Now your wall space can be as bespoke as you wish. Stripes, detailed patterns, branded colours, logos or even full colour images are now possible with Decorale Print.

Decorale Print is also ideal for use as a digital printed pin board. Whether it's a printed World Map on a classroom wall that can be labelled for teaching purposes, or perhaps a regional sales map in a meeting for pinning potential sales locations. The opportunities are endless.

Please contact us to discuss further your requirements. We are confident we can provide the solution.



A child's space brought to life through high quality print.



Full wall graphics create a dynamic and exciting work environment.



Just a taste of some of the colours possible with the print option, whether it is plan colours, patterns or lines. Please contact us with your ideas.



Get in touch with our creative sales team for more information and technical knowledge.

**W E Rawson Limited**

Castle Bank Mills, Portobello Road  
Wakefield, West Yorkshire WF1 5PS

-  +44 (0) 1924 382860
-  [www.rawsoncarpetsolutions.co.uk](http://www.rawsoncarpetsolutions.co.uk)
-  [rcsales@werawson.co.uk](mailto:rcsales@werawson.co.uk)

